

DEPARTMENTWISE INSTRUMENTS AND EQUIPMENTS LIST AS PER MSR

(A). DETAILS OF EQUIPMENTS AND INSTRUMENTS REQUIRED FOR PHYSIOLOGY LABORATORY

YEAR 2022- 2023


Faculty: Ayurved

Name of College K. G. Mittal Ayurved College.

College Code: 3102

Sr.No	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1	Microscopes with oil immersion	Thirty	Fifty	Yes	Adequate
2	Western's pipette for ESR	Sixty	Hundred	Yes	Adequate
3	Hematocrit Tube	Sixty	Hundred	Yes	Adequate
4	Sahli's Haemoglobinometer	Sixty	Hundred	Yes	Adequate
5	Haemocytometer	Sixty	Hundred	Yes	Adequate
6	Electrocardiograph	One	One	Yes	Adequate
7	Stop watches	Sixty	Hundred	Yes	Adequate
8	Water Distillation still	One	One	Yes	Adequate
9	Balances	One	One	Yes	Adequate
10	Centrifuge with speed control	Three	Six	Yes	Adequate
11	Colorimeter (photoelectric)	Three	Six	Yes	Adequate
12	pH meter Electric	One	One	Yes	Adequate
13	pH comparator with disc	One	One	Yes	Adequate
14	Sphygmomanometer	Thirty	Fifty	Yes	Adequate
15	Stethoscopes	Sixty	Hundred	Yes	Adequate
16	Clinical Thermometer	Sixty	Hundred	Yes	Adequate
17	Knee Hammer	Sixty	Hundred	Yes	Adequate
18	Tuning forks	Sixty	Hundred	Yes	Adequate
19	Sterilizer	Five	Five	Yes	Adequate
General					
20.	Refrigerator	One	One	Yes	Adequate
21.	Newton's colour wheel In a batch	One	One	Yes	Adequate
Miscellaneous					
22.	Cover slips, glassware, Microslides	Assorted		Yes	Adequate




INCHARGE PRINCIPAL
Dean/Principal Stamp & Signature
 K. G. Mittal Ayurved College
 Netaji Subhash Road, Marine Drive,
 Next to Taraporewala Aquarium

(B) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR DISSECTION HALL

S. No.	Instruments and Equipments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Tank with a capacity to preserve 2-4 bodies.		Assorted	Yes	Adequate
2.	Machines for bones and brain sectioning		Assorted	Yes	Adequate
3.	Dissection Sets	Fifteen Sets		Yes	Adequate
4.	Dissecting Table		Yes	Yes	Adequate
a)	Full size with steel top or marble top stainless	Four	Six	Yes	Adequate
b)	Half size with steel top or marble top stainless	Eight	Ten	Yes	Adequate
General					
5.	X-ray viewing box or panels	Three	Three	Yes	Adequate
Miscellaneous					
6.	Bone cutter of the number $\frac{3}{4}$, $\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{8}$ - fine pointed Chisel bone dissector		Assorted	Yes	Adequate
7.	Glass jars of different sizes		Assorted	Yes	Adequate
8.	Preservative Chemicals		Assorted	Yes	Adequate




Dean/ Principal Stamp & Signature
INCHARGE PRINCIPAL
K. G. Mittal Ayurved College
 Netaji Subhash Road, Marine Drive,
 Next to Taraporewala Aquarium,
 Mumbai - 400 002.

DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR RASASHASTRA AND BHAISHAJYA KALPANA LABORATORY


Sr. No.	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Khalva Yantra-				
a)	Small	Ten	Twenty	Yes	Adequate
b)	Medium	Ten	Twenty	Yes	Adequate
c)	Porcelain	Ten	Twenty	Yes	Adequate
d)	Taptakhalvyantra	Two	Four	Yes	Adequate
2.	Pounding Apparatus (Ulukhala Yantra)	Ten	Twenty	Yes	Adequate
3.	Putas (Different kind)	Ten	Ten	Yes	Adequate
4.	Moosha (Crucibles)	Thirty	Fifty	Yes	Adequate
5.	Koshti with Blower	Two	Four	Yes	Adequate
6.	Yantras				
a)	Dola Yantra	One	One	Yes	Adequate
b)	Valuka Yantra	One	One	Yes	Adequate
c)	Pithara Yantra	One	One	Yes	Adequate
d)	Bhudhara Yantra etc.	One	One	Yes	Adequate
7.	Distillation Apparatus and Arka Yantra	Three	Six	Yes	Adequate
8.	Kupipakva Bhatti	One	One	Yes	Adequate
General					
9.	Wet Grinder	One	One	Yes	Adequate
10.	Mixi	One	One	Yes	Adequate
11.	Juice Extractor	One	One	Yes	Adequate
12.	Refrigerator	One	One	Yes	Adequate
13.	Almiras and Racks for storage	Assorted		Yes	Adequate
14.	Balance (Different Capacities)				
a)	Physical	One	One	Yes	Adequate
b)	Chemical	One	One	Yes	Adequate
c)	Electronic Balance	One	One	Yes	Adequate
15.	Heating Device-				
a)	Gas Stove	Assorted		Yes	Adequate
b)	Hot plate	Assorted		Yes	Adequate
c)	Chulla (Charcoal)	Assorted		Yes	Adequate
16.	Big Vessels and Containers-				
a)	Brass	Assorted		Yes	Adequate


INCHARGE PRINCIPAL
K. G. Mittal Ayurved College
 Netaji Subhash Road, Marise Drive,
 Next to Taraporewala Aquarium,



b)	Copper	Assorted	Yes	Adequate
c)	Steel etc.	Assorted	Yes	Adequate
d)	Earthen Vessels-Pots	Assorted	Yes	Adequate
Miscellaneous				
17.	Jars(Porcelain) Fermentation Purpose	Assorted	Yes	Adequate
18.	Enamel Trays	Assorted	Yes	Adequate
19.	Spirit Lamp	Assorted	Yes	Adequate
20.	Pressure Cooker	Assorted	Yes	Adequate
21.	Measuring Equipments Different Size (Glass)	Assorted	Yes	Adequate
22.	Pyrometer	Assorted	Yes	Adequate
23.	Thermo meter	Assorted	Yes	Adequate
24.	Vessels			
a)	Frying Pan	Assorted	Yes	Adequate
b)	Steel Vessel	Assorted	Yes	Adequate
c)	Spatula	Assorted	Yes	Adequate
d)	Ladles and Spoons	Assorted	Yes	Adequate
e)	Knife	Assorted	Yes	Adequate
f)	Plates	Assorted	Yes	Adequate
g)	Samdamsa Yantra(Tongs)	Assorted	Yes	Adequate
25.	Sieves (Assorted Nos. and Size)	Assorted	Yes	Adequate




Dean/ Principal Stamp & Signature
INCHARGE PRINCIPAL
K. G. Mittal Ayurved College
 Netaji Subhash Road, Marine Drive,
 Next to T. S. Sorewala Aquarium,
 Mumbai - 400 002.

1) DETAILS OF EQUIPMENTS AND INSTRUMENTS REQUIRED FOR PHARMACOLOGY LABORATORY [DRAVYAGUNA]


S.No.	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Field magnifier	One	One	Yes	Adequate
2.	Compound microscope	One	One	Yes	Adequate
3.	Dissecting Microscope	One	One	Yes	Adequate
4.	Microscope	Fifteen	Twenty five	Yes	Adequate
5.	Electronic balance	One	Two	Yes	Adequate
Miscellaneous					
6.	Slides box with cover slips,		Assorted	Yes	Adequate
7.	Blotting/filter papers		Assorted	Yes	Adequate
8.	Dissection Box		Assorted	Yes	Adequate
9.	Enamel Trays		Assorted	Yes	Adequate
10.	Reagents-			Yes	Adequate
a.	Chloroform		Assorted	Yes	Adequate
b.	Alcohol.		Assorted	Yes	Adequate
c.	HCL		Assorted	Yes	Adequate
d.	Sulphuric acid		Assorted	Yes	Adequate
e.	Sodium, potassium hydroxide		Assorted	Yes	Adequate
f.	Benedict solution		Assorted	Yes	Adequate
g.	Sodium nitrate		Assorted	Yes	Adequate
h.	Potassium nitrate		Assorted	Yes	Adequate
i.	Citric acid		Assorted	Yes	Adequate
j.	Iodine		Assorted	Yes	Adequate
k.	Ethyl Alcohol		Assorted	Yes	Adequate
l.	Potassium Iodide		Assorted	Yes	Adequate
m.	Xylol/pure xylene (slide preparation)		Assorted	Yes	Adequate




Dean/ Principal Stamp & Signature
INCHARGE PRINCIPAL
K. G. Mittal Ayurved College
 Netaji Subhash Road, Marine Drive,
 Next to Taraporewala Aquarium,
 Mumbai - 400 002.

i. DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR ROGVIGYAN LABORATORY


S.No.	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Binocular microscope	Fifteen	Twenty five		
2.	Microscope with oil immersion	Fifteen	Twenty five	Yes	Adequate
3.	Monocular microscope with oil emersion lens20(e)	Fifteen	Twenty five	Yes	Adequate
4.	X-ray view box	One	One	Yes	Adequate
5.	Sahli's Square tube	Thirty	Fifty	Yes	Adequate
6.	Hb pipette	Thirty	Fifty	Yes	Adequate
7.	WBC Pipette	Thirty	Fifty	Yes	Adequate
8.	Dropper	Thirty	Fifty	Yes	Adequate
9.	Red cell pipette	Thirty	Fifty	Yes	Adequate
10.	Improved Neubauer chamber	Thirty	Fifty	Yes	Adequate
11.	Incubator	One	Two	Yes	Adequate
12.	Wintrobe's tube	Thirty	Fifty	Yes	Adequate
13.	Pasteur's pipette	Thirty	Fifty	Yes	Adequate
14.	Centrifuge Graduated Machine	One	Two	Yes	Adequate
15.	Westregrens pipette	Thirty	Fifty	Yes	Adequate
16.	Westergrens's stand	Thirty	Fifty	Yes	Adequate
17.	Urinometer	Thirty	Fifty	Yes	Adequate
18.	Autoclave	One	One	Yes	Adequate
19.	Ultraviolet lamp	One	One	Yes	Adequate
20.	Cell counter (haemoautoanalyser)	One	One	Yes	Adequate
21.	BP Apparatus	Thirty	Fifty	Yes	Adequate
22.	Stethoscope	Thirty	Fifty	Yes	Adequate
23.	Thermometer	Thirty	Fifty	Yes	Adequate
24.	Tongue depressor	Thirty	Fifty	Yes	Adequate
25.	Stop watch	Thirty	Fifty	Yes	Adequate
General					
26.	Physical balance	One	One	Yes	Adequate
27.	Hot air oven	One	One	Yes	Adequate
28.	Bunsen burner	Thirty	Fifty	Yes	Adequate
29.	Refrigerator	Thirty	One	Yes	Adequate


INCHARGE PRINCIPAL
K. G. Mittal Ayurved College
 Kotaji Subhash Road, Marine Drive,
 New Delhi



30.	Sterile vessels/bottle to collect samples	Assorted	Assorted		
31.	Torch	Assorted	Assorted	Yes	Adequate
32.	Knee hammer	Assorted	Assorted	Yes	Adequate
33.	Measuring Tape	Assorted	Assorted	Yes	Adequate
34.	ENT examination set	Assorted	Assorted	Yes	Adequate
35.	Reflectors(Mirrors)	Assorted	Assorted	Yes	Adequate
36.	Weighing machine	One	One	Yes	Adequate
37.	Tuning Forks	Assorted	Assorted	Yes	Adequate
38.	Nasal speculum	Assorted	Assorted	Yes	Adequate
39.	Laryngoscope	Assorted	Assorted	Yes	Adequate
40.	Catheters	Assorted	Assorted	Yes	Adequate
41.	Probes	Assorted	Assorted	Yes	Adequate
42.	HBs Ag kit	Assorted	Assorted	Yes	Adequate
43.	HIV kit - Tridot (method by T Mitra)	Assorted	Assorted	Yes	Adequate
44.	CT and BT kit	Assorted	Assorted	Yes	Adequate
45.	Renal profile, LET kit, Lipid profile, Blood, Sugar kit	Assorted	Assorted	Yes	Adequate
46.	Sterile disposable lancer/needle	Assorted	Assorted	Yes	Adequate
47.	Glass rod	Assorted	Assorted	Yes	Adequate
48.	Syringe needle destroyer	Assorted	Assorted	Yes	Adequate
49.	Cover slip	Assorted	Assorted	Yes	Adequate
50.	Cleaned slides	Assorted	Assorted	Yes	Adequate
51.	Litmus paper	Assorted	Assorted	Yes	Adequate
52.	pH indicator paper strips	Assorted	Assorted	Yes	Adequate
53.	Test tube	Assorted	Assorted	Yes	Adequate
54.	Separating funnels of various sizes	Assorted	Assorted	Yes	Adequate
55.	Glass Jars with lid of different sizes	Assorted	Assorted	Yes	Adequate
56.	Capillary Tubes	Assorted	Assorted	Yes	Adequate
57.	Rubber sheat	Assorted	Assorted	Yes	Adequate
58.	Magnifying lens	Assorted	Assorted	Yes	Adequate
59.	Water bath	Assorted	Assorted	Yes	Adequate
60.	Multi stix	Assorted	Assorted	Yes	Adequate




Dean/Principal Stamp & Signature
 K. G. Mittal Ayurved College
 Netaji Subhash Road, Marine Drive,
 Next to Taraporewala Aquarium,

ii. DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR LABOUR ROOM

S.No.	Equipment and Instruments	Required Quantity	Details on College Website	Adequate/ Inadequate
	Essential			
1.	Shadowless Lamp			
2.	Suction Machine (Neonatal)	One	Yes	Adequate
3.	Oxygen Cylinder and Mask	One	Yes	Adequate
4.	Foetal Toco Cardiograph	One	Yes	Adequate
5.	Radiant Warmer	One	Yes	Adequate
6.	Photo therapy Unit	One	Yes	Adequate
7.	Weighing Machine (Paediatric)	One	Yes	Adequate
8.	Patient trolley	One	Yes	Adequate
9.	Anaesthesia trolley	Two	Yes	Adequate
10.	Infantometer	One	Yes	Adequate
11.	Vacuum extractor	One	Yes	Adequate
12.	Foetal Doppler	One	Yes	Adequate
13.	Low cavity forceps	One	Yes	Adequate
14.	Steriliser	Two	Yes	Adequate
15.	Machintosh rubber sheet	Two	Yes	Adequate
16.	Instruments for labour and Episiotomy. (Scissors, forceps, needle holders etc.)	Assorted	Yes	Adequate
		Assorted	Yes	Adequate
17.	Baby tray			
18.	Nebuliser	Two	Yes	Adequate
19.	Foetoscope	One	Yes	Adequate
20.	Auto Clave	Five	Yes	Adequate
21.	Drums	One	Yes	Adequate
22.	Instrumental Trolley	Assorted	Yes	Adequate
23.	OT tables and head Up and head Low facility	Assorted	Yes	Adequate
24.	Pulse Oximeter	One	Yes	Adequate
25.	Resuscitation kit	One	Yes	Adequate
26.	Boyle's apparatus	One	Yes	Adequate
27.	Electrocautery	One	Yes	Adequate
28.	MTP Suction Machine	One	Yes	Adequate
29.	Anaesthesia Kit	One	Yes	Adequate
30.	Blunt and Sharp Curettes	One	Yes	Adequate
31.	Dilators set (Hegar's, Hawkins)	Ten	Yes	Adequate
32.	Sims's Speculum	Five	Yes	Adequate
		Five	Yes	Adequate




33.	Cusco's Speculum	Five	Yes	Adequate
34.	Anterior Vaginal Wall retractor	Five	Yes	Adequate
35.	Uterine sound	Five	Yes	Adequate
36.	Volsellum	Five	Yes	Adequate
37.	MTP Suction Currate	Five	Yes	Adequate
38.	Retractors abdominal (Doyne's etc.)	Five	Yes	Adequate
39.	Sponge holding forceps	Five	Yes	Adequate
40.	Green armytage forceps	Five	Yes	Adequate
41.	Uterus holding forceps	Five	Yes	Adequate
42.	Kocher's forceps	Five	Yes	Adequate
43.	Artery forceps (Long, short, Mosquito)Each	Five	Yes	Adequate
44.	Scissors- different sizes	Five	Yes	Adequate
45.	Forceps obstetrics	Five	Yes	Adequate
46.	Endotrachial tubes	Five	Yes	Adequate
47.	Cord Cutting appliances	Five	Yes	Adequate
48.	I.U.C.D. removing hook	Five	Yes	Adequate
49.	Bladder Sound	Five	Yes	Adequate
50.	B.P. apparatus	Two	Yes	Adequate
Miscellaneous				
51.	HIV kit for emergency patients	Assorted	Yes	Adequate
52.	Plain and Hole towels	Assorted	Yes	Adequate
53.	Towel Clips	Assorted	Yes	Adequate
54.	Catguts and Thread	Assorted	Yes	Adequate
55.	Needles	Assorted	Yes	Adequate
56.	Needle holders	Assorted	Yes	Adequate




Dean/ Principal Stamp & Signature
INCHARGE PRINCIPAL
K. G. Mittal Ayurved College
 Netaji Subhash Road, Marine Drive,
 Next to Taraporewala Aquarium,
 Mumbai - 400 002.

iii. DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR OPERATION THEATRE


S.No.	Equipment and Instruments	Required Quantity	Details on College Website	Adequate/ Inadequate
I	Shalya:			
	Essential			
1.	Spot light (Shadow less ceiling fitted)	One	Yes	Adequate
2.	Needle holding Forceps (big- medium-small)	Assorted	Yes	Adequate
3.	Dressing drums of Assorted size	Assorted	Yes	Adequate
4.	Drum stand	Assorted	Yes	Adequate
5.	IV Stand	Two	Yes	Adequate
6.	Cheatis Forceps	Four	Yes	Adequate
7.	Mosquito forceps	Four	Yes	Adequate
8.	Scissors straight (Tailor)	Four	Yes	Adequate
9.	Scissors curved of different sizes	Five each	Yes	Adequate
10.	Stitch removal scissors	Five each	Yes	Adequate
11.	Dissection forceps	Four	Yes	Adequate
12.	Sinus Forceps	Four	Yes	Adequate
13.	Probes - Assorted size	Five each	Yes	Adequate
14.	Pointed scissors	Four	Yes	Adequate
15.	Abdominal Retractors	Five	Yes	Adequate
16.	Tissue Forceps	Five	Yes	Adequate
17.	Bob Kock's Forceps	Five	Yes	Adequate
18.	Kocher's Forceps	Five	Yes	Adequate
19.	Urethral Dilators	Five each	Yes	Adequate
20.	Metal Catheters	Five each	Yes	Adequate
21.	Sponge holding forceps	Four	Yes	Adequate
22.	Right Angle cholecystectomy Forceps	Four	Yes	Adequate
23.	Stone holding forceps	Four	Yes	Adequate
24.	Allies Forceps small	Four	Yes	Adequate
25.	Allies Forceps Big	Four	Yes	Adequate
26.	Artery Forceps small	Four	Yes	Adequate
27.	Artery Forceps big	Four	Yes	Adequate
28.	Artery Forceps Medium	Four	Yes	Adequate
29.	Sigmoidoscope Rigid/flexible	One	Yes	Adequate
30.	Barron Pile's Gun	Two	Yes	Adequate
31.	Laryngoscope Pediatric/Adult	One	Yes	Adequate
32.	Boyles Apparatus	One	Yes	Adequate
33.	Multi-parameter Monitor	One	Yes	Adequate


INCHARGE PRINCIPAL
K. G. Mittal Ayurved College
 Netaji Subhash Road, Marine Drive,
 Next to Taraporewala Aquarium



35.	Suction machine Electrical Manual	One	Yes	Adequate
36.	Skin grafting knife with handle	Assorted	Yes	Adequate
37.	Surgical blades of different size	Assorted	Yes	Adequate
38.	Self-Retaining Retractor	Assorted	Yes	Adequate
39.	Bone cutter	Two	Yes	Adequate
40.	Gigli Saw	Two	Yes	Adequate
41.	Scoop	Assorted	Yes	Adequate
42.	Periosteum elevator	Two	Yes	Adequate
43.	Maggles Forceps	Assorted	Yes	Adequate
44.	High Pressure Autoclave	One	Yes	Adequate
45.	Nitrous Oxide Cylinder	One	Yes	Adequate
46.	Hydraulic Operation Table	One	Yes	Adequate
47.	Boyle's Apparatus	One	Yes	Adequate
48.	Instrument Trolley	Assorted	Yes	Adequate
49.	Endotracheal Tube	Assorted	Yes	Adequate
50.	Proctoscope with or without illumination	Two	Yes	Adequate
51.	Gabrial Syringe	One	Yes	Adequate
52.	Strecher with trolley	Two	Yes	Adequate
53.	Suction Machine	Assorted	Yes	Adequate
General				
54.	Emergency power back up facility	Assorted	Yes	Adequate
55.	Emergency light	Four	Yes	Adequate
56.	Fire Extinguisher	Two	Yes	Adequate
57.	BP Apparatus	Assorted	Yes	Adequate
58.	Fumigator	One	Yes	Adequate
59.	Refrigerator	One	Yes	Adequate
60.	X-ray View Box (double)	Two	Yes	Adequate
61.	Revolving Stool	Assorted	Yes	Adequate
62.	Vertical BP Instrument	One	Yes	Adequate
63.	Rubber catheters of Assorted size	Assorted	Yes	Adequate
Miscellaneous				
64.	Corrugated rubber drain	Assorted	Yes	Adequate
65.	Suturing Needle (straight/curved) of Assorted size	Assorted	Yes	Adequate
66.	Surgical Thread	Assorted	Yes	Adequate
67.	BP Handle of different size	Assorted	Yes	Adequate
68.	Needle holder	Assorted	Yes	Adequate
II Shalakya: Ophthalmic Equipment or Instruments for Operative Surgery				
Essential				




INCHARGE PRINCIPAL
K. G. Mittal Ayurved College
 Netaji Subhash Road, Marine Drive,
 Next to Taraporewala Aquarium,

		One	Yes	Adequate
69.	Ophthalmic Operation table with Head rest	Assorted	Yes	Adequate
70.	Sterilizing box/case with mat	Assorted	Yes	Adequate
71.	Lens insertion Forceps	Assorted	Yes	Adequate
72.	Keratome	Assorted	Yes	Adequate
73.	Desmarres lid retractors	Assorted	Yes	Adequate
74.	Cat-paw lacrimal retractor	Assorted	Yes	Adequate
75.	Mueller lacrimal sac retractor	Assorted	Yes	Adequate
76.	Dastoor iris retractor	Assorted	Yes	Adequate
77.	Meyrhoefer Chalazioncurrete	Assorted	Yes	Adequate
78.	Sinsky lens manipulating hook	Assorted	Yes	Adequate
79.	IOL Manipulator	Assorted	Yes	Adequate
80.	Foreign body spud	Assorted	Yes	Adequate
81.	Lewis lens loop (vectis)	Assorted	Yes	Adequate
82.	Cystotome and spoon	Assorted	Yes	Adequate
83.	Mule Evisceration spoon	Assorted	Yes	Adequate
84.	Iris repository (double-ended)	Assorted	Yes	Adequate
85.	Jameson muscle hook	Assorted	Yes	Adequate
86.	Wills cautery with copper ball-point	Assorted	Yes	Adequate
87.	Langs lacrimal sac dissector	Assorted	Yes	Adequate
88.	Kelly Glaucoma punch	Assorted	Yes	Adequate
89.	Elevator (double ended)	Assorted	Yes	Adequate
90.	Nasal speculum adult/child	Assorted	Yes	Adequate
91.	Wilder punctum Dilator	Assorted	Yes	Adequate
92.	Bowman lacrimal probes	Assorted	Yes	Adequate
93.	Hartman mosquito forceps	Assorted	Yes	Adequate
94.	Colibri forceps 1*2 teeth	Assorted	Yes	Adequate
95.	Mc. person corneal forceps with tying platform	Assorted	Yes	Adequate
96.	Dressing forceps, serrated	Assorted	Yes	Adequate
97.	Moorfieldconjunctival forceps	Assorted	Yes	Adequate
98.	Fixation forceps	Assorted	Yes	Adequate
99.	Beer cilea (epilation) forceps	Assorted	Yes	Adequate
100.	Arruga capsular forceps	Assorted	Yes	Adequate
101.	Snellen Entropion clamp	Assorted	Yes	Adequate
102.	Chalazion clamps	Assorted	Yes	Adequate
103.	Vannas straight scissors	Assorted	Yes	Adequate
104.	Barraquer needle holder	Assorted	Yes	Adequate
105.	Air injection cannula	Assorted	Yes	Adequate
106.	Healon aspirating cannula	Assorted	Yes	Adequate
107.	AC washout cannula	Assorted	Yes	Adequate
108.	Lacrimal cannula	Assorted	Yes	Adequate
109.	Hydrodialysis cannula	Assorted	Yes	Adequate

INCHARGE PRINCIPAL


K. C. Mittal Ayurved College

Nataji Subhash Road, Marine Drive,
Next to Taraporewala Aquarium.



111.	Simcok direct I/A cannula silicon tubing	Assorted	Yes	Adequate
112.	Irrigating aspirating handle	Assorted	Yes	Adequate
113.	Lens dialer	Assorted	Yes	Adequate
114.	Superior Rectus forceps	Assorted	Yes	Adequate
115.	Eye wash glasses (for Tarpana Karma)	Assorted	Yes	Adequate
116.	Swimming Goggles (for Tarpana Karma)	Assorted	Yes	Adequate
III	ENT-Surgical or Operative Procedural Instruments			
Essential				
117.	Aural Syringe	Assorted	Yes	Adequate
118.	Jobson's Aural Probe	Assorted	Yes	Adequate
119.	Eustachian Catheter	Assorted	Yes	Adequate
120.	Mastoid Retractor	Assorted	Yes	Adequate
121.	Mastoid Gouge	Assorted	Yes	Adequate
122.	Mallet	Assorted	Yes	Adequate
123.	Nasal Foreign Body hook	Assorted	Yes	Adequate
124.	Nasal packing forceps	Assorted	Yes	Adequate
125.	Nasal Snare	Assorted	Yes	Adequate
126.	Bayonet Shaped gouge	Assorted	Yes	Adequate
127.	Walsham forceps	Assorted	Yes	Adequate
128.	Laryngeal forceps	Assorted	Yes	Adequate
129.	Tongue plate with throat suction	Assorted	Yes	Adequate
130.	Tonsil holding forceps	Assorted	Yes	Adequate
131.	Tonsillar suction	Assorted	Yes	Adequate
132.	Adenoid curette with cage	Assorted	Yes	Adequate
133.	Peritonsillarabcess draining forceps	Assorted	Yes	Adequate
134.	Fuller's Tracheostomy Tube	Assorted	Yes	Adequate
135.	Cheatel's Forceps	Assorted	Yes	Adequate
Miscellaneous				
136.	Other consumable articles like gloves, syringes, bandages, sutras, etc.	Assorted	Yes	Adequate





Dean/ Principal Stamp & Signature
INCHARGE PRINCIPAL
K. G. Mittal Ayurved College
 Netaji Subhash Road, Marine Drive,
 Next to Taraporewala Aquarium,
 Mumbai - 400 002.

iv. DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR OUT PATIENT DEPARTMENT

S. No.	Name of Out Patient Department	Article required as per norms of CCIM	Required Quantity	Details on College Website	Adequate/ Inadequate		
1	Kayachikitsa	Essential					
		X-Ray View Box	One	Yes	Adequate		
		BP Apparatus	Two	Yes	Adequate		
		Stethoscope	Four	Yes	Adequate		
		Torch	Two	Yes	Adequate		
		Examination Table	One	Yes	Adequate		
		Thermometer	Four	Yes	Adequate		
		Tongue depressor	Five	Yes	Adequate		
		Weight and height measuring stand	One	Yes	Adequate		
		Measuring tape	One	Yes	Adequate		
		Knee Hammer	Two	Yes	Adequate		
		Miscellaneous					
		Gloves	Assorted	Yes	Adequate		
		2	Shalya	Essential			
				X-Ray Viewing Box	One	Yes	Adequate
Stethoscope	Four			Yes	Adequate		
Instruments for ano-rectal examination	Two sets			Yes	Adequate		
Examination Table	One			Yes	Adequate		
BP Apparatus	Two			Yes	Adequate		
Thermometer	Four			Yes	Adequate		
Torch	Assorted			Yes	Adequate		
Cheatele forceps	Assorted			Yes	Adequate		
General							
Minor OT	Assorted			Yes	Adequate		
Miscellaneous							
Surgical Blades	Assorted			Yes	Adequate		
3	Shalakya			Essential			
				Tuning forks	Assorted	Yes	Adequate
		Ophthalmoscope/ fundoscope	Two	Yes	Adequate		
		Auroscope	Two	Yes	Adequate		
		Examination Table	One	Yes	Adequate		
		X-Ray Viewing Box	One	Yes	Adequate		
		BP Apparatus	Two	Yes	Adequate		


INCHARGE PRINCIPAL
K. G. Mittal Ayurved College
 Netaji Subhash Road, Marine Drive,
 Next to Taraporewala Aquarium,
 Mumbai - 400 092.



		Thermometer	Four	Yes	Adequate
		ENT kit	Assorted	Yes	Adequate
		Torch	Two	Yes	Adequate
		Bull's lamp	One	Yes	Adequate
4	Prasuti and Stri Roga				
Essential					
		Weighing machine	One	Yes	Adequate
		Sims's speculum	Two	Yes	Adequate
		Thermometer	Four	Yes	Adequate
		Cusco's speculum	Two	Yes	Adequate
		Examination Table	One	Yes	Adequate
		Lamp stand	One	Yes	Adequate
		Torch	Two	Yes	Adequate
		X-Ray Viewing Box	One	Yes	Adequate
		BP Apparatus	Two	Yes	Adequate
		Stethoscope	Four	Yes	Adequate
		Measuring tape	Two	Yes	Adequate
5	Bal Roga				
Essential					
		Scale	One	Yes	Adequate
		Weighing machine	One	Yes	Adequate
		Torch	Two	Yes	Adequate
		X-Ray View Box	One	Yes	Adequate
		Thermometer	Four	Yes	Adequate
		BP Apparatus with Pediatric cuff	Two	Yes	Adequate
		Stethoscope	Assorted	Yes	Adequate
		Examination Table	Assorted	Yes	Adequate
6	Panchkarma	As per Kayachikitsa		Yes	Adequate
7	Yoga Section (Swasth Rakhshan)	Facilities available (Equipment, Instrument, Furniture etc)	Assorted	Yes	Adequate
8	Emergency	Facilities available (Equipment, Instrument, Furniture etc)	Assorted	Yes	Adequate




 Dean/Principal Stamp & Signature

K. G. Mittal Ayurved College

Netaji Subhash Road, Marine Drive,

Next to Taraporewale Aquarium